


# Does the Area of Deprivation Index Predict Increased Rates of Unplanned Return to the Operating Room in Orthopaedic Trauma?

Kelsey S. Hideshima, BS<sup>1</sup>, Julia M. Goupil, BS<sup>1</sup>, Max R. Haffner, MD<sup>2</sup>, Augustine M. Saiz MD<sup>2</sup>, Mark A. Lee, MD<sup>2</sup>  
<sup>1</sup> UC Davis School of Medicine, Sacramento, CA, <sup>2</sup> University of California, Davis, Department of Orthopaedics, Sacramento, CA

## INTRODUCTION

- Socioeconomic status (SES) influences surgical outcomes across many surgical specialties.<sup>1</sup>
- Much of the literature examining the relationship between SES and orthopaedic surgery outcomes is focused on joint arthroplasties.<sup>2</sup>
- The following study is a new exploratory study using the Area of Deprivation Index (ADI) as a proxy for SES in orthopaedic trauma.<sup>3</sup>
- The ADI includes 17 different metrics to assess disadvantages at the neighborhood level based on 9-digit zip codes.<sup>4</sup>



Heat map based on ADI national ranking<sup>4</sup>

## OBJECTIVE

- To investigate the relationship between SES dictated by ADI score and unplanned return to the OR (UROR) in the orthopaedic trauma patient population.

## METHODS


- Retrospective chart review at a single Level I trauma center from 2014-2019.



## RESULTS

**Figure 1:**

Percentage of patients who live within CA (856), out of state, (OOS) (27), in group quarters (GQ) (8), and outside the US (OUS) (1).



**Table 1:** Multivariate analysis based on significant univariate analysis variables for UROR. ADI >75 represents severely distressed communities.

VARIABLE	P VALUE	OR (95% CI)
AGE	.893	1.001 (.99-1.01)
ADI >75	.040	2.935 (1.05-8.21)
ISS	<.001	1.081 (1.05-1.12)
ASA	<.001	.529 (.389-.718)

**Table 2:** Statistically significant (p<.05) baseline and clinical characteristics based on ADI quartile.

	QUARTILE 1 (N=404)	QUARTILE 2 (N=317)	QUARTILE 3 (N=115)	QUARTILE 4 (N=20)
AGE, YEARS	54.77 (52.7-56.9)	50.66 (48.2-53.1)	48.91 (45.4-52.5)	40.70 (30.6-50.8)
RACE				
WHITE	255 (63.1)	181 (57.1)	55 (47.8)	8 (40.0)
BLACK	27 (6.7)	33 (10.4)	15 (13.0)	4 (20.0)
ASIAN PACIFIC ISLANDER	33 (8.2)	17 (5.4)	3 (2.6)	0 (.0)
AMERICAN INDIAN	1 (.2)	6 (1.9)	0 (.0)	0 (.0)
OTHER	2 (.5)	1 (.3)	0 (.0)	0 (.0)
ETHNICITY				
NOT HISPANIC OR LATINO	74 (18.3)	75 (23.7)	42 (36.5)	8 (20.0)
HISPANIC OR LATINO	352 (87.1)	269 (84.9)	80 (69.6)	14 (70.0)
SMOKING STATUS				
NON	41 (10.1)	46 (14.5)	33 (28.7)	6 (30.0)
CURRENT	237 (58.7)	150 (47.3)	55 (47.8)	7 (35.0)
FORMER	67 (16.6)	97 (30.6)	36 (31.3)	7 (35.0)
UROR				
YES	93 (23.0)	58 (18.3)	21 (18.3)	4 (20.0)
NO	59 (14.6)	27 (8.5)	15 (13.0)	6 (30.0)
	345 (85.4)	290 (91.5)	100 (87.0)	14 (70.0)

## CONCLUSIONS

- Severely deprived communities are associated with an increased rate of UROR.
- The following characteristics are associated with an increased ADI: younger age, Black race, Hispanic ethnicity, current smoker, and UROR.
- Results demonstrate disparities seen in the orthopaedic trauma population at a level I trauma center and urge the need to increase access to care to more disadvantaged communities.

## REFERENCES

- Boutros ML, Tian Y, Brown D, Freeman CA, Smeds MR. Area Deprivation Index Score is Associated with Lower Rates of Long Term Follow-up after Upper Extremity Vascular Injuries. *Ann Vasc Surg* 2021;**75**:102-8. <https://doi.org/10.1016/j.avsg.2021.03.037>.
- Davis ET, Lingard EA, Schemitsch EH, Waddell JP. Effects of socioeconomic status on patients' outcome after total knee arthroplasty. *Int J Qual Health Care* 2008;**20**:40-6. <https://doi.org/10.1093/intqhc/mzm059>.
- Kind AJH, Buckingham W. [Making Neighborhood Disadvantage Metrics Accessible: The Neighborhood Atlas](https://doi.org/10.1093/aje/kwz059). *New England Journal of Medicine*, 2018. 378: 2456-2458. DOI: 10.1056/NEJMp1802313. PMID: PMC6051533. AND University of Wisconsin School of Medicine Public Health. 2019 Area Deprivation Index v3.0. Downloaded from <https://www.neighborhoodatlas.medicine.wisc.edu/> June 23, 2021
- Mora, J., Krepline, A. N., Aldakkak, M., Christians, K. K., George, B., Hall, W. A., Erickson, B. A., Kulkarni, N., Evans, D. B., & Tsai, S. (2021). Adjuvant therapy rates and overall survival in patients with localized pancreatic cancer from high area deprivation index neighborhoods. *The American Journal of Surgery*, *222*(1), 10-17. <https://doi.org/10.1016/j.amjsurg.2020.12.001>

## ACKNOWLEDGEMENTS

Thank you to the UC Davis Department of Orthopaedic Surgery and UROR team for creating such a comprehensive database. Thank you to Dr. Mark Lee for your guidance during the completion of this project.